

# CONVAC 3000P/PQ Vacuum Cleaner



# Convac 3000P/PQ Vacuum Cleaner

Powerful 800W vacuum cleaners for all toner applications. The off-set large round handle makes the unit easy to carry, and a complete set of toner proof and ESD safe tools clip into the lid, including the snorkel tube which is soft enough not to damage cleaned components.

Trying to save money by using standard filters instead of the recommended fine/HEPA filters for all colour toners? Risking cleaner damage? No worry with CONVAC. The Convac Fine Filter cartridge is not only a similar price to most standard cartridge filters, it is also LARGER than most in its class. The fine filter is of a HEPA type of material with a filtration value well within the particle size of colour toners.

The paper bag version utilises the low cost 3 layer paper bags, suitable for colour toners; more economical than cartridges and with a clean and easy bag change.

## Instructions

**To obtain the best performance of the Convac 3000 Vacuum Cleaner the Manufacturer's recommendations need to be followed:**

1. Paper Filter Bags must be stored in dry conditions.
2. Never use damp bags, they could burst, contaminate the vacuum cleaner and damage the motor.
3. Always fully insert the hose end in to the hose aperture.
4. Never over fill the Filter Bag above the recommended level, as indicated on the side of the filter bag, the Filter could then leak or even burst.
5. Always use the Anti-Dump Self Adhesive Label before disposal of used Filter Bags.

### DISPOSE OF USED TONER IN COMPLIANCE WITH LOCAL REGULATIONS

6. When changing Filter Bags wipe clean any Toner spillage from inside the Vacuum Cleaner.
  7. Always replace the Red Hose End Caps after use to prevent contamination.
- Change the filter bag as per diagrams on next page:

Note: The Filter Bags for this Vacuum cleaner are compatible with the Convac AL90 Vacuum Cleaner.

### NOTE

USE FILTER BAGS, part number: VAC150

---

## Technical Data

Motor: (UK/Europe)	220-240V 800W 50Hz (5 Amp Fuse)
Suction:	Approx 1400 mmWG
Airflow:	Approx 30 liters per second
Thermal Protection:	Cut out 90-100 C
Automatic Reset:	Approx 10-15 minutes
Dimensions:	457 mm x 190 mm x 241 mm
Weight:	5.5 Kg approx.

CONVAC LTD reserves the right to change, alter or modify any clener or part thereof or packaging without prior notice, excepting those within specific contract arrangements.

### IMPORTANT

1. Use only CONVAC spare parts - full list of parts available.
2. The wires in the mains lead are coloured in accordance with the following code: - Green/Yellow - Earth, Blue - Neutral, Brown - Live.
3. The equipment to be serviced should be switched off prior to using cleaner.

**WARNING**

This machine is for dry particle collection only.  
Never use or store this cleaner outdoors in wet conditions. removal of the motor cover or any unauthorised tampering with the cleaner or use without a full filtration system invalidates any warranty that may be given.


## Filter Bag Replacement




**Fig 1.** Push Filter Retainer to release from the Vacuum Cleaner Shell.




**Fig 2.** Remove the Filter Bag along with the Retainer from the Vacuum Cleaner.



**Fig 3.** Remove the Filter Bag from the Retainer by pulling out the clips on the side of the retainer and pressing on the cardboard end of the Filter Bag. Take care not to let the Filter Bag drop.



**Fig 4.** Seal the Filter Bag with Anti-Dump Self Adhesive Label



**Fig 5.** To replace the Filter Bag, insert the Hose Adaptor on the Retainer into the new Filter Bag.



**Fig 6.** Ensure the new Filter Bag is securely fitted under the tabs on the Retainer.



**Fig 7.** Refit the Retainer with Filter Bag attached.



**Fig 8.** Clip the retainer back into position within the Vacuum Cleaner shell.

**Do Not Reuse Old Filter Bags**